





GreatVolt Quanta

51.2V 100Ah LiFePO4 Battery Energy Storage System for Solar & Off-Grid.



Waterproof









Maintenance







*100A continuous | 120A surge for 3 seconds | 200A surge for 2 seconds





















QUANTA TECHNICAL SPECIFICATIONS

Electrical Specifications

Nominal Voltage	51.2V
Nominal Capacity	100Ah
Energy	5120Wh
Self Discharge	2-3% Per Month
Maximum Batteries in Series	NA
Maximum Batteries in Parallel	5
Built-in BMS	Internal
Resistance	<38 mΩ
Cell Chemistry	LiFePO4(Lithium Iron-Phosphate)

Mechanical Specifications

Dimensions	20.47"L X 19.22"W X 6.57"H
Weight	105 lbs.
Terminal Type	ES Connector
Terminal Torque	NA
Case Material	Stainless Steel
Waterproof Level	IP67

Charging Specifications

Recommended Charge Current	0.2C/20A
Max Charge Current	50A
BMS Charge Current Protection	110A
Recommended Charge Voltage	58.4V
Reconnect Voltage	@ 54.5V
Balancing Voltage	@ 3.2V Per Cell
Charge Protection Voltage	60V

Integrated Heating Specifications

Heat	NA
Heating ON Heating OFF	NA NA
Continuous Power Draw (When Enabled)	NA
Required Minimax Charging Current	NA

Discharging Specifications

Max Discharge Current	100A
Discharge Surge Current	120A for 3 seconds
Surge for Loads Over	200A for 2 seconds
Recommended Low Voltage Disconnect	44.8V
BMS Discharge Cut-Off Voltage	40V
Reconnect Voltage	44.8V
Short Circuit Protection	Yes

Certifications

Certifications	UL1973,UL9540A,IEC62619
	for cells
	MSDS for shipping
	UN38.3

Temperature Specifications

Discharge Temperature	-4°F to 149°F(-20°C to 65°C)
Charge Temperature	32°F to 122°F(0°C to 50°C)
Storage Temperature	32°F to 95°F(0°C to 35°C)
Reconnect Temperature	Discharge 131 °F (55°C)

Communication Protocols

CAN	✓
RS485	\checkmark
UART	×
Bluetooth	×

- * Compatible with most major PV inverters, Such as Growatt, SRNE, MUST, Deye, GOODWE, SOFAR, Victron Energy...
- * Storage Please keep the battery in the cool and dry environment: Within 1 month -5°C~35°C or Within 6 months 0°C~35°C, relative humidity ≤75%, please charge the battery pack (around 50% SOC) regularly (every 60-90 days) to keep its chemistry active and longer lifespan. Long shelf time without charging the battery, the battery may completely depleted or totally died. Please DO remove the battery from your device when battery NOT IN USE for long time.






















MICHANICAL DRAWING









Side view







Perspective

















RATE CHARGE-DISCHARGE CURVE

Discharge tests were performed at 25°C/77°F Voltage/V Capacity rate/% **0.2**C 0.5C 0.75C **=**



